Approved For Release 2001/03/03P: 03/4(17)29778B04560A002100010071-7

Copy 145 2 Pages

NPIC/R-129/64 February 1964

BAYRAM-ALI IRBM COMPLEX, USSR

INTERPRETATION REPORT






Handle Via TALENT - KEYHOLE Control Only

DECLASS REVIEW BY NIMA / DoD

This document contains classified information affecting the national security of the United States within the meaning of the espionage laws U. S. Code Title 18, Sections 793 and 794. The law prohibits its transmission or the revelation of its contents in any manner to an unauthorized person, as well as its use in any manner prejudicial to the safety or interest of the United States or for the benefit of any foreign government to the detriment of the United States. It is to be seen only by personnel especially indoctrinated and authorized to TALENT-KEYHOLE information. Its security must be maintained in accordance with KEYHOLE and

NATIONAL PHOTOGRAPHIC INTERPRETATION CENTER



TOP SECRET

GROUP | Excluded from automotic downgrading and declassification

Approved For Release 2001/03/03 : CIA-RDP78B04560A002100010071-7

NPIC/R-129/64

BAYRAM-ALI IRBM COMPLEX, USSR

LAUNCH AREA NO 1 (TYPE III)

COORDS: 37-46-00N 62-12-00E

25X1A

ASSOC AREAS: None

TDI NAME: Bayram-Ali Launch Site LOCATION: 9 nm N of Bayram-Ali

25X1D FIRST APPEARED: 25X1D

CONSTRUCTION STATUS:

Launch Site

TERRAIN: Hilly

VEGETATION: Sparse (desert oasis)

SECURITY: Double fence

PADS: Four elongated pads (size undetermined) with 750' separations and oriented on an azimuth of 185°. One small bldg (55' x 55') at each pad. Four bldgs 125' x 50'--one located between each pair of pads along the N and S crossroads. READY BLDGS: Three earth-mounded drivethrough type $(200^{\circ} \times 75^{\circ})$. One earth-mounded drive-in type (200' x 75').


CONTROL BLDGS: Two (approx 140' x 60')-one centrally located between each pair ofpads. OTHER BLDG: One drive-through possible bldg (200' x 75') appears to be split-level with the southern half higher than the northern and is located N of the inner pad of the eastern pair of launch pads.


Site Support Facility

TECHNICAL SECTION: Located approx 1,580' NNE of the launch site and contains 2 parallel drive-through possible bldgs (140' x 45') and one small bldg, all positioned on a long loop road. ADMINISTRATION & HOUSING SECTION: None



25X9□





25X9

25X1D

FIGURE 1. BAYRAM-ALI IRBM LAUNCH AREA NO 1.

- 1 -

TOP SECRET RUFF

Approved For Release 2001/03/03. CIA-RDP78B04560A002100010071-7

NPIC/R-129/64

Rail-to-Road Transfer Point

Probably at Bayram-Ali, 9 nm S of launch area. Mary, 20 nm SW, having rail yard, is a possible transfer point.

Other MRBM/IRBM Activity Within 25 NM Radius Of Launch Area

None.

REFERENCES

MAPS: AMS, N502-NJ 41-10 USATC-200, Sheet 0337-12AL 25X1D

- 2 -